Template Provided By:

Cancer Imaging Program

National Cancer Institute

Reagent/Supply Shipping Receipt & Verification

(Refer to GEN-Q003)

Reagent/Supply: **Chloroplatinic Acid Hexahydrate, ACS Reagent** **Expiration Date: _____**

Assigned Internal Tracking Number (ITN): SS-CPA-_____

Manufacturer's Assigned Lot Number: _____

Certificate of Analysis Received? Y N N/A

Inspection of Shipment:

Date of Package Arrival	Visual Inspection Prior to Opening	Visual Inspection Upon Opening	Shipment Acceptable or Returned and Reason Why

Inspected By: _____ Date: _____

Signature

Date Quarantined: _____

For Reagents verify the Certificate of Analysis with the Internal Specifications for Release for Further Manufacturing:

Parameter	Test Methodology	Specification	C of A Verification	Comments
Appearance	Visual Inspection	Orange to Orange-Brown Powder	**Y N N/A**	
Platinum Content	ICP Assay	NLT 37.5% Platinum	**Y N N/A**	
Solubility	Solubility in Alcohol	Pass	**Y N N/A**	
Alkali and Other Salts	(as Sulfates)	NMT 0.05%	**Y N N/A**	
Suitability	For Potassium Determinations	Pass	**Y N N/A**	

Manufacturer's Certificate of Analysis attached? Y N N/A

SOP References for Identity Tests as Indicated in the IND (Attach all test data to this form**):** None Indicated

Verified By: _____ Date: _____

Signature

Released By: _____ Date: _____

Signature

Cancer Imaging Program, *Confidential--Use and restriction of this document is set forth in Transfer Agreement executed with the National Cancer Institute (NCI).*